Physica C 175 (1991) 677–681
North-Holland

Author Index to Volume 175

Adachi, H., see S. Adachi **175**, 523
Adachi, S., H. Adachi, K. Setsune and K. Wasa, Synthesis of $LnBa_2Cu_4O_8$ (Ln = earth elements) ceramics at one atmosphere oxygen pressure **175**, 523
Agrawala, G., see G. Shaw **175**, 27
Aguillon, C., see S. Senoussi **175**, 202
Aguillon, C., see S. Senoussi **175**, 215
Alimoussa, A., see M.J. Casanove **175**, 285
Allenspach, P., see A. Podlesnyak **175**, 587
Alloul, H., see C. Legros-Glédel **175**, 279
Altendorf, E., J. Chrzanowski, J.C. Irwin, A. O'Reilly and W.N. Hardy, Electron–phonon interactions of Raman active phonons in $YBa_2Cu_3O_{7-y}$ **175**, 47
Aoki, Y., see H. Takahashi **175**, 381
Arrouy, F., A. Wattiaux, C. Cros, G. Demazeau, J.-C. Grenier, M. Pouchard and J. Etourneau, Superconducting behaviour of the T/O structural type phase $La_{2-x}Nd_xCuO_{4+\delta}$ ($O < x < 0.60$) under oxidizing conditions **175**, 342
Asano, H., see T. Maeda **175**, 393
Aubel, J.L., see L.C. Sengupta **175**, 17

Baczewski, L.T., K. Piotrowski, R. Szymczak, H. Szymczak and A.P. Malozemoff, Critical current and the spatial distribution of magnetic flux in superconducting thin films **175**, 363
Bąk, T., see J. Molenda **175**, 555
Bando, Y., see H. Yasuoka **175**, 192
Baumann, Th., see W. Paul **175**, 102
Bechtold, J., see Z.J. Huang **175**, 595
Bennington, S.M., see A. Podlesnyak **175**, 587
Bhagat, S.M., see G. Shaw **175**, 27
Bianconi, A., see C. Li **175**, 369
Blackstead, H.A., D.B. Pulling, P.J. McGinn and C.A. Clough, Flux-flow in sintered polycrystalline $YBa_2Cu_3O_{7-\delta}$ **175**, 534
Blanchin, M.G., see Y. Yan **175**, 651
Blunt, F.J., A.R. Perry, A.M. Campbell and R.S. Liu, An investigation of the appearance of positive magnetic moments on field cooling some superconductors **175**, 539
Boekholt, M., M. Hoffmann and G. Güntherodt, Detection of an anisotropy of the superconducting gap in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals by Raman and tunneling spectroscopy **175**, 127
Bokhimi, Superconductivity in the Ba–Y–Cu–W–O system **175**, 119
Bouffard, S., see F. Rullier-Albenque **175**, 111
Braginski, A.I., see C.L. Jia **175**, 545
Brinkmann, D., see M. Mali **175**, 581
Brom, H.B., see J.C. Jol **175**, 12
Bruls, G., see P. Thalmeier **175**, 61
Bruynseraede, Y., see J. Guimpel **175**, 197
Buzdin, A.I., S.S. Krotov and D.A. Kuptsov, Attraction of inclined vortices in magnetic superconductors **175**, 42
Buzdin, A.I. and A.Yu. Simonov, Magnetization of anisotropic superconductors in the tilted magnetic field **175**, 143

Campbell, A.M., see F.J. Blunt **175**, 539
Capponi, J.J., see C. Chaillout **175**, 293
Caracino, P., see B. Chevalier **175**, 435
Casanove, M.J., A. Alimoussa, C. Roucau, C. Escribe-Filippini, P.L. Reydet and P. Marcus, Cross-sectional TEM investigations of the microstructure and film-substrate interface in Y–Ba–Cu–O thin films **175**, 285
Chaillout, C., O. Chmaissen, J.J. Capponi, T. Fournier, G.J. McIntyre and M. Marezio, The structure of superconducting $Pb_2Sr_2Y_{0.73}Ca_{0.27}Cu_3O_8$ by single-crystal neutron diffraction **175**, 293
Chandrachood, M.R., see D.E. Morris **175**, 156
Chen, C.H., S.-W. Cheong, D.J. Werder, A.S. Cooper and L.W. Rupp Jr., Low temperature microstructure and phase transitions in $La_{2-x}Sr_xCuO_4$ and $La_{2-x}Ba_xCuO_4$ **175**, 301
Chen, D.-X., see A. Sanchez **175**, 33
Chen, J., L. Chow and J.Z. Liu, Response of the high temperature superconductors to weak AC magnetic field **175**, 634
Cheong, S.-W., see C.H. Chen **175**, 301
Cheung, J.T., see I.S. Gergis **175**, 603
Chevalier, B., A. Tressaud, P. Caracino, C. Robin and J. Etourneau, Superconductivity in fluorinated $La_{1.85-x}Nd_xSr_{0.15}CuO_4$ solid solution with $0 \leqslant x \leqslant 1$ **175**, 435
Chiengpratoom, N., see I.M. Tang **175**, 250
Chin, T.S., see L.H. Perng **175**, 667
Chmaissen, O., see C. Chaillout **175**, 293
Chow, L., see J. Chen **175**, 634
Chrzanowski, J., see E. Altendorf **175**, 47
Chu, C.W., see Z.J. Huang **175**, 595
Chu, C.W., see J.G. Lin **175**, 627
Chu, J.W., see Z.J. Huang **175**, 595
Clough, C.A., see H.A. Blackstead **175**, 534
Congiu-Castellano, A., see C. Li **175**, 369
Cooper, A.S., see C.H. Chen **175**, 301
Cros, C., see F. Arrouy **175**, 342
Cui, G.J., see C.L. Jia **175**, 545

Deakin, D.S., see I.S. Gergis **175**, 603
Della Longa, S., see C. Li **175**, 369
Demazeau, G., see F. Arrouy **175**, 342
Dimitriev, Y.B., see E.S. Vlakhov **175**, 335
Dupree, R., Z.P. Han, A.P. Howes, D.M. Paul, M.E. Smith and

S. Male, ^{17}O NMR characterisation of the oxygen sites in the $Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n}$ ($n=1, 2, 3$) high-temperature superconductors **175**, 269

Eibl, O., Displacive modulation and chemical composition of $(Bi, Pb)_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ (n«, 3) high-T_c superconductors **175**, 419
Entel, P., see J. Zieliński **175**, 639
Escribe-Filippini, C., see M.J. Casanove **175**, 285
Etourneau, J., see F. Arrouy **175**, 342
Etourneau, J., see B. Chevalier **175**, 435

Favrot, D., see C. Legros-Glédel **175**, 279
Feile, R., see R. Li **175**, 89
Feng, H.H., see Z.J. Huang **175**, 595
Flambaum, V.V. and O.P. Sushkov, Electronic structure of high-T_c superconductors **175**, 347
Fournier, T., see C. Chaillout **175**, 293
Francesio, L., see C. Paracchini **175**, 324
Fromknecht, R., see H. Takahashi **175**, 381
Fujishita, H., M. Sera and M. Sato, Transport properties and crystal structures of new conductive copper oxides $La_2Sr_6Cu_8O_{16+\delta}$ ($\delta=0.0$ and 1.6) **175**, 165
Fukami, T., see Y. Horie **175**, 93
Furrer, A., see A. Podlesnyak **175**, 587

Gao, L., see Z.J. Huang **175**, 595
Geerk, J., see F. Vassenden **175**, 566
Georgiev, M., The vibronic approach to high-T_c superconductivity **175**, 644
Gergis, I.S., P.H. Kobrin, J.T. Cheung, E.A. Sovero, C.L. Lastufka, D.S. Deakin and J. Lopez, Temperature dependence of the microwave surface resistance of YBCO thin films from microstrip resonator measurements **175**, 603
Ginley, D.S., see B. Morosin **175**, 241
Gopalakrishnan, I.K., J.V. Yakhmi and R.M. Iyer, Stabilization of superconductivity in $TlBa_2CuO_{5-\delta}$ at 9.5 K and its enhancement to 43 K in $TlBaSrCuO_{5-\delta}$ **175**, 183
Greaves, C. and P.R. Slater, Synthesis and structure of the tetragonal "$Ba_3YCu_2O_x$" phase. A perovskite containing carbonate anions **175**, 172
Grenier, J.-C., see F. Arrouy **175**, 342
Griessen, R., Relaxation effects, I–V curves and irreversibility lines in high-T_c superconductors **175**, 315
Groshev, A., see T. Hristov **175**, 600
Guimpel, J., P. Høghøj, I.K. Schuller, J. Vanacken and Y. Bruynseraede, Scaling of the irreversibility line in a low temperature superconducting oxide **175**, 197
Güntherodt, G., see M. Boekholt **175**, 127
Güntherodt, H.-J., see H.J. Hug **175**, 357
Guo, G.Y., see Z. Szotek **175**, 1
Gupta, L.C., see R. Pinto **175**, 310
Gupta, M., see C. Legros-Glédel **175**, 279

Hadjoudj, S., see S. Senoussi **175**, 215
Hahn, D., see J.C. Jol **175**, 12
Hamada, K., see T. Wada **175**, 529
Han, Z.P., see R. Dupree **175**, 269
Hardy, W.N., see E. Altendorf **175**, 47
Hauck, J. and K. Mika, Search for new high-T_c oxide structures **175**, 386
Heiden, C., see C.L. Jia **175**, 545
Hellstrom, E.E., see R.D. Ray II **175**, 255
Henry, J.Y., see V.V. Moshchalkov **175**, 407
Herrman, K., see C.L. Jia **175**, 545
Hoffmann, M., see M. Boekholt **175**, 127
Høghøj, P., see J. Guimpel **175**, 197
Hor, P.H., see Z.J. Huang **175**, 595
Hor, P.H., see J.G. Lin **175**, 627
Horie, Y., T. Miyazaki and T. Fukami, Ultrasonic investigation of thermally assisted flux flow in $(La_{1-x}Sr_x)_2CuO_4$ ceramics **175**, 93
Housley, R.M., see R.P. Vasquez **175**, 233
Howes, A.P., see R. Dupree **175**, 269
Hristov, T. and A. Groshev, Coupled Josephson and piezo oscillators. The effects of capacitance, noise and quality **175**, 600
Hsu, S.E., see L.H. Perng **175**, 667
Huang, Z.J., Y.Q. Wang, Y.Y. Sun, R.L. Meng, J.W. Chu, L. Gao, J. Bechtold, H.H. Feng, Y.Y. Xue, P.H. Hor and C.W. Chu, Resistive and magnetic anomalies in the Bi–Sr–V–O and Tl–Sr–V–O compound systems **175**, 595
Hudnik, V., see G. Tavčar **175**, 607
Huebener, R.P., see G.Yu. Logvenov **175**, 179
Hug, H.J., Th. Jung, H.-J. Güntherodt and H. Thomas, Theoretical estimates of forces acting on a magnetic force microscope tip over a high temperature superconductor **175**, 357
Hull, G.W., see K. Remschnig **175**, 261
Hults, W.L., see G.H. Kwei **175**, 615

Ichinose, A., see T. Wada **175**, 529
Irwin, J.C., see E. Altendorf **175**, 47
Itoh, T., see J.O. Willis **175**, 81
Iyer, R.M., see I.K. Gopalakrishnan **175**, 183
Izumi, F., see T. Maeda **175**, 393

Jacquot, J.F., see V.V. Moshchalkov **175**, 407
Jambazov, S., see E.S. Vlakhov **175**, 335
Jia, C.L., B. Kabius, K. Urban, K. Herrman, G.J. Cui, J. Schubert, W. Zander, A.I. Braginski and C. Heiden, Microstructure of epitaxial $YBa_2Cu_3O_7$ films on step-edge $SrTiO_3$ substrates **175**, 545
Jin, X., see X. Wang **175**, 577
Joiner, W.C.H., see L.C. Sengupta **175**, 17
Jol, J.C., D. Reefman, H.B. Brom, T. Zetterer, D. Hahn, H.H. Otto and K.F. Renk, Single crystal ^{205}Tl NMR in the normal and superconducting state of the high-T_c superconductor $Tl_2Ba_2CaCu_2O_8$. A study of the Knight and chemical shift **175**, 12
Jung, Th., see H.J. Hug **175**, 357

Kabius, B., see C.L. Jia **175**, 545

Kaneko, T., see T. Wada **175**, 529
Kashchieva, E., see E.S. Vlakhov **175**, 335
Kim, J.H., see K. Levin **175**, 449
Klein, B.M., see D.J. Singh **175**, 329
Kobrin, P.H., see I.S. Gergis **175**, 603
Koshizuka, N., see J.O. Willis **175**, 81
Kovachev, V.T., see E.S. Vlakhov **175**, 335
Kozhevnikov, V., see A. Podlesnyak **175**, 587
Krakauer, H., see D.J. Singh **175**, 329
Krishna, M.G., G.K. Muralidhar, K.N. Rao, G.M. Rao and S. Mohan, A novel electron beam evaporation technique for the deposition of superconducting thin films **175**, 623
Krotov, S.S., see A.I. Buzdin **175**, 42
Krotov, S.S., On the possible refinement of the magnetic structure of the antiferromagnetic superconductor $Tm_2Fe_3Si_5$ **175**, 58
Kumar, D., see R. Pinto **175**, 310
Kume, K., see Y. Maniwa **175**, 401
Kuptsov, D.A., see A.I. Buzdin **175**, 42
Kuwasawa, Y., T. Tosaka, A. Uchiyama, S. Matuda and S. Nakano, Anisotropy of critical current and anomalous upturn feature of parallel upper critical fields in the superconducting $Nb/Nb_{0.5}Zr_{0.5}$ multilayer **175**, 187
Kwei, G.H., A.C. Lawson and M. Mostoller, Vibrational properties and atomic Debye temperatures for La_2CuO_4 from neutron powder diffraction **175**, 135
Kwei, G.H., A.C. Lawson, W.L. Hults and J.L. Smith, Vibrational properties and atomic Debye temperatures for $YBa_2Cu_3O_7$ from neutron powder diffraction **175**, 615
Kwok, H.S., J.P. Zheng and S.H. Liou, Nonbolometric optical response of Tl–Ba–Ca–Cu–O thin films **175**, 573

Lastufka, C.L., see I.S. Gergis **175**, 603
Lawson, A.C., see G.H. Kwei **175**, 135
Lawson, A.C., see G.H. Kwei **175**, 615
Leelaprute, S., see I.M. Tang **175**, 250
Legris, A., see F. Rullier-Albenque **175**, 111
Legros-Glédel, C., J.-F. Marucco, E. Vincent, D. Favrot, B. Poumellec, B. Touzelin, M. Gupta and H. Alloul, Influence of the oxygen content on the critical temperature T_c and the thermopower of $Y_{0.7}Ca_{0.3}Ba_2Cu_3O_z$ **175**, 279
Lejay, P., see F. Rullier-Albenque **175**, 111
Levin, K., J.H. Kim, J.P. Lu and Q. Si, Normal state properties in the cuprates and their Fermi based interpretation **175**, 449
Li, C., M. Pompa, A. Congiu-Castellano, S. Della Longa and A. Bianconi, One-electron excitations and shake up satellites in Cu K-edge X-ray absorption near edge structure (XANES) of La_2CuO_4 by full multiple scattering analysis in real space **175**, 369
Li, R., R. Weimer and R. Feile, Anomalous intensity of the 335 cm^{-1} phonon in $YBa_2Cu_3O_{7-\delta}$ **175**, 89
Li, Y.-Z., see A. Sanchez **175**, 33
Lin, C.H., see L.H. Perng **175**, 667
Lin, I.N., see L.H. Perng **175**, 667
Lin, J.G., K. Matsuishi, Y.Q. Wang, Y.Y. Xue, P.H. Hor and C.W. Chu, Pressure effect on the superconducting transition temperature of $Tl_2Ca_{n-1}Ba_2Cu_nO_{2n+4-\delta}$ **175**, 627
Linker, G., see F. Vassenden **175**, 566
Liou, S.H., see H.S. Kwok **175**, 573
Liu, J.Z., see J. Chen **175**, 634
Liu, R.S., see F.J. Blunt **175**, 539
Logvenov, G.Yu., V.V. Ryazanov, A.V. Ustinov and R.P. Huebener, Peltier effect in the mixed state of high-T_c superconductors **175**, 179
Lopez, J., see I.S. Gergis **175**, 603
Lu, J.P., see K. Levin **175**, 449
Lüthi, B., see P. Thalmeier **175**, 61

Maeda, T., K. Sakuyama, F. Izumi, H. Yamauchi, H. Asano and S. Tanaka, Structural changes accompanying oxygen incorporation in $(Pb_{0.65}Cu_{0.35})Sr_2(Y_{0.7}Ca_{0.3})Cu_2O_{7+\delta}$ **175**, 393
Majoros, M., see E.S. Vlakhov **175**, 335
Male, S., see R. Dupree **175**, 269
Mali, M., I. Mangelschots, H. Zimmermann and D. Brinkmann, Nuclear magnetic resonance of plane Cu in paramagnetic $YBa_2Cu_3O_6$ **175**, 581
Malozemoff, A.P., see L.T. Baczewski **175**, 363
Mangelschots, I., see M. Mali **175**, 581
Maniwa, Y., T. Mituhashi, K. Mizoguchi and K. Kume, The magnetic field at the surface of high-T_c superconducting oxides by nuclear magnetic resonance. Critical current density and magnetic penetration depth **175**, 401
Manuel, P., see S. Senoussi **175**, 202
Marcus, P., see M.J. Casanove **175**, 285
Marezio, M., see C. Chaillout **175**, 293
Marin, C., see V.V. Moshchalkov **175**, 407
Marucco, J.-F., see C. Legros-Glédel **175**, 279
Matlak, M., see J. Zieliński **175**, 639
Matsuishi, K., see J.G. Lin **175**, 627
Matuda, S., see Y. Kuwasawa **175**, 187
Mazaki, H., see H. Yasuoka **175**, 192
McGinn, P.J., see H.A. Blackstead **175**, 534
McIntyre, G.J., see C. Chaillout **175**, 293
Meng, R.L., see Z.J. Huang **175**, 595
Menovsky, A.A., see P. Thalmeier **175**, 61
Mesot, J., see A. Podlesnyak **175**, 587
Mika, K., see J. Hauck **175**, 386
Mirmelstein, A., see A. Podlesnyak **175**, 587
Mituhashi, T., see Y. Maniwa **175**, 401
Miyatake, T., see J.O. Willis **175**, 81
Miyazaki, T., see Y. Horie **175**, 93
Mizoguchi, K., see Y. Maniwa **175**, 401
Mohan, S., see M.G. Krishna **175**, 623
Molenda, J., A. Stokłosa and T. Bąk, Transport properties of $YBa_2Cu_3O_{7-y}$ at high temperatures **175**, 555
Morishita, T., see H. Takahashi **175**, 381
Morosin, B., E.L. Venturini and D.S. Ginley, Annealing study on single crystal Tl-2223 superconductors **175**, 241
Morris, D.E., M.R. Chandrachood and A.P.B. Sinha, Synthesis of high quality thallium superconductors at elevated oxygen pressure **175**, 156
Moshchalkov, V.V., J.Y. Henry, C. Marin, J. Rossat-Mignod

and J.F. Jacquot, Anisotropy of the first critical field and critical current in $YBa_2Cu_3O_{6.9}$ single crystals **175**, 407
Mostoller, M., see G.H. Kwei **175**, 135
Muñoz, J.S., see A. Sanchez **175**, 33
Muralidhar, G.K., see M.G. Krishna **175**, 623

Nakano, S., see Y. Kuwasawa **175**, 187
Nichols, T.R., see J.O. Willis **175**, 81

Ogorevc, B., see G. Tavčar **175**, 607
O'Reilly, A., see E. Altendorf **175**, 47
Osborn, R., see A. Podlesnyak **175**, 587
Otto, H.H., see J.C. Jol **175**, 12

Pai, S.P., see R. Pinto **175**, 310
Papaconstantopoulos, D.A., see D.J. Singh **175**, 329
Paracchini, C., L. Romanó and L. Francesio, A comparison of *I–V* characteristics in YBCO and BSCCO **175**, 324
Paul, D.M., see R. Dupree **175**, 269
Paul, W. and Th. Baumann, Inductive measurements of intergranular critical currents in ceramic rings. A comparison between sintered and melt processed Y-, Bi- and Tl-based superconductors **175**, 102
Paumier, E., see F. Rullier-Albenque **175**, 111
Pejovnik, S., see G. Tavčar **175**, 607
Perng, L.H., T.S. Chin, C.H. Lin, I.N. Lin, S.J. Yang and S.E. Hsu, Preparation of high-T_c (Bi, Pb)–Sr–Ca–Cu–O superconducting films on MgO(100) by a crucibleless melt growth method **175**, 667
Perry, A.R., see F.J. Blunt **175**, 539
Pickett, W.E., see D.J. Singh **175**, 329
Pinto, R., J.I. Poothra, S.P. Pai, L.C. Gupta, R. Vijayaraghavan, D. Kumar and M. Sharon, Substrate bias effects during in-situ growth of $Y_1Ba_2Cu_3O_{7-\delta}$ thin films by RF magnetron sputtering **175**, 310
Piotrowski, K., see L.T. Baczewski **175**, 363
Podlesnyak, A., V. Kozhevnikov, A. Mirmelstein, P. Allenspach, J. Mesot, U. Staub, A. Furrer, R. Osborn, S.M. Bennington and A.D. Taylor, Neutron spectroscopic studies of crystalline electric fields in high-T_c $ErBa_2Cu_3O_7$ doped with Zn and Ni **175**, 587
Polak, M., see E.S. Vlakhov **175**, 335
Pompa, M., see C. Li **175**, 369
Poothra, J.I., see R. Pinto **175**, 310
Pouchard, M., see F. Arrouy **175**, 342
Poumellec, B., see C. Legros-Glédel **175**, 279
Pulling, D.B., see H.A. Blackstead **175**, 534

Ramesh, R., see K. Remschnig **175**, 261
Rao, G.M., see M.G. Krishna **175**, 623
Rao, K.N., see M.G. Krishna **175**, 623
Ray II, R.D. and E.E. Hellstrom, Ag-clad Bi–Sr–Ca–Cu–O wires. II. Important factors in supersolidus phase studies **175**, 255
Reefman, D., see J.C. Jol **175**, 12
Remschnig, K., J.M. Tarascon, R. Ramesh and G.W. Hull, Growth and properties of large area $Bi_{2+x}Sr_{2-x}CuO_{6+y}$ single crystals **175**, 261
Renk, K.F., see J.C. Jol **175**, 12
Reydet, P.L., see M.J. Casanove **175**, 285
Robin, C., see B. Chevalier **175**, 435
Romanó, L., see C. Paracchini **175**, 324
Rossat-Mignod, J., see V.V. Moshchalkov **175**, 407
Roucau, C., see M.J. Casanove **175**, 285
Roughani, B., see L.C. Sengupta **175**, 17
Rullier-Albenque, F., A. Legris, S. Bouffard, E. Paumier and P. Lejay, Irradiation of $YBa_2Cu_3O_{7-\delta}$ single crystals by 5.6 GeV xenon ions **175**, 111
Rupp Jr., L.W., see C.H. Chen **175**, 301
Ryazanov, V.V., see G.Yu. Logvenov **175**, 179

Sakuyama, K., see T. Maeda **175**, 393
Sanchez, A., D.-X. Chen, J.S. Muñoz and Y.-Z. Li, Local-field-dependent critical-current density for high-T_c $YBa_2Cu_3O_{7-\delta}$ superconductors **175**, 33
Sato, M., see H. Fujishita **175**, 165
Schubert, J., see C.L. Jia **175**, 545
Schuller, I.K., see J. Guimpel **175**, 197
Sengupta, L.C., B. Roughani, J.L. Aubel, S. Sundaram and W.C.H. Joiner, Effect of substitutional doping on the 1.7 eV electronic transition of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ for M = Co, Fe, Ni and Zn **175**, 17
Senoussi, S., C. Aguillon and P. Manuel, The origin of the low field peak in the hysteresis cycle of high-T_c oxides and the influence of magnetic pinnings **175**, 202
Senoussi, S., C. Aguillon and S. Hadjoudj, The contribution of the intergrain currents to the low field hysteresis cycle of granular superconductors and the connection with the micro- and macro-structures **175**, 215
Sera, M., see H. Fujishita **175**, 165
Setsune, K., see S. Adachi **175**, 523
Sharon, M., see R. Pinto **175**, 310
Shaw, G., G. Agrawala and S.M. Bhagat, Equation of "state" for thermoremanent magnetization in micron-size powders of copper oxide superconductors **175**, 27
Si, Q., see K. Levin **175**, 449
Simonov, A.Yu., see A.I. Buzdin **175**, 143
Singh, D.J., D.A. Papaconstantopoulos, H. Krakauer, B.M. Klein and W.E. Pickett, Electronic structure of doped Sr_2VO_4 **175**, 329
Sinha, A.P.B., see D.E. Morris **175**, 156
Slater, P.R., see C. Greaves **175**, 172
Smith, J.L., see G.H. Kwei **175**, 615
Smith, M.E., see R. Dupree **175**, 269
Soankwan, C., see I.M. Tang **175**, 250
Sovero, E.A., see I.S. Gergis **175**, 603
Staneva, A., see E.S. Vlakhov **175**, 335
Staub, U., see A. Podlesnyak **175**, 587
Stokłosa, A., see J. Molenda **175**, 555
Sun, Y.Y., see Z.J. Huang **175**, 595
Sundaram, S., see L.C. Sengupta **175**, 17
Sushkov, O.P., see V.V. Flambaum **175**, 347
Szotek, Z., G.Y. Guo and W.M. Temmerman, Effects of

structure and doping on the electronic properties of La_2CuO_4 and Nd_2CuO_4 **175**, 1
Szymczak, H., see L.T. Baczewski **175**, 363
Szymczak, R., see L.T. Baczewski **175**, 363

Tai, K., see J.O. Willis **175**, 81
Takahashi, H., Y. Aoki, T. Usui, R. Fromknecht, T. Morishita and S. Tanaka, Crystal growth of $YBa_2Cu_3O_{7-x}$ at the MgO(100) surface steps **175**, 381
Tanaka, S., see J.O. Willis **175**, 81
Tanaka, S., see H. Takahashi **175**, 381
Tanaka, S., see T. Maeda **175**, 393
Tanaka, S., see T. Wada **175**, 529
Tang, I.M., S. Leelaprute, C. Soankwan and N. Chiengpratoom, Lanthanide substitution into low hole concentration bismuth superconductors **175**, 250
Tarascon, J.M., see K. Remschnig **175**, 261
Tavčar, G., B. Ogorevc, V. Hudnik and S. Pejovnik, Confirmation of the presence of trivalent copper and peroxidic oxygen in superconducting $YBa_2Cu_3O_{7-x}$ materials and approval of their dependence on annealing procedure **175**, 607
Taylor, A.D., see A. Podlesnyak **175**, 587
Temmerman, W.M., see Z. Szotek **175**, 1
Terashima, T., see H. Yasuoka **175**, 192
Thalmeier, P., B. Wolf, D. Weber, G. Bruls, B. Lüthi and A.A. Menovsky, Elastic constant anomalies and the superconducting B–T phase diagrams of UPT_3 and URi_2Si_2 **175**, 61
Thomas, H., see H.J. Hug **175**, 357
Tomeno, I., see J.O. Willis **175**, 81
Tosaka, T., see Y. Kuwasawa **175**, 187
Touzelin, B., see C. Legros-Glédel **175**, 279
Tressaud, A., see B. Chevalier **175**, 435

Uchiyama, A., see Y. Kuwasawa **175**, 187
Urban, K., see C.L. Jia **175**, 545
Ustinov, A.V., see G.Yu. Logvenov **175**, 179
Usui, T., see H. Takahashi **175**, 381

Vanacken, J., see J. Guimpel **175**, 197
Vasquez, R.P. and R.M. Housley, Study of chemically-etched $Bi_2Sr_{2-x}Ca_{1+x}Cu_2O_{8+\delta}$ surfaces **175**, 233
Vassenden, F., G. Linker and J. Geerk, Growth direction control in YBCO thin films **175**, 566
Venturini, E.L., see B. Morosin **175**, 241
Vijayaraghavan, R., see R. Pinto **175**, 310
Vincent, E., see C. Legros-Glédel **175**, 279
Vlakhov, E.S., V.T. Kovachev, M. Polak, M. Majoros, Y.B. Dimitriev, S. Jambazov, E. Kashchieva and A. Staneva, The influence of Ag and Te additions on the magnetization of hollow cylinder shaped YBCO ceramics **175**, 335

Wada, T., K. Hamada, A. Ichinose, T. Kaneko, H. Yamauchi and S. Tanaka, New Tl-based copper oxide containing double-MO_2-unit fluorite block: (Tl, Cu)Sr_2(R, Ce)$_3Cu_2O_{11}$ (R: rare earth element) **175**, 529
Wang, X., X. Jin and X. Yao, Effect of thermal fluctuation on the critical current of RF-SQUID in the dispersive mode **175**, 577
Wang, Y.Q., see Z.J. Huang **175**, 595
Wang, Y.Q., see J.G. Lin **175**, 627
Wasa, K., see S. Adachi **175**, 523
Wattiaux, A., see F. Arrouy **175**, 342
Weber, D., see P. Thalmeier **175**, 61
Weimer, R., see R. Li **175**, 89
Werder, D.J., see C.H. Chen **175**, 301
Wicker, A., see Y. Yan **175**, 651
Willis, J.O., I. Tomeno, T. Miyatake, T.R. Nichols, T. Itoh, K. Tai, N. Koshizuka and S. Tanaka, Specific heat and magnetic susceptibility measurements of $YBa_2Cu_4O_8$. A study of the density of electronic states **175**, 81
Wolf, B., see P. Thalmeier **175**, 61

Xue, Y.Y., see Z.J. Huang **175**, 595
Xue, Y.Y., see J.G. Lin **175**, 627

Yakhmi, J.V., see I.K. Gopalakrishnan **175**, 183
Yamauchi, H., see T. Maeda **175**, 393
Yamauchi, H., see T. Wada **175**, 529
Yan, Y., M.G. Blanchin and A. Wicker, HREM studies of stacking faults in $HoBa_2Cu_3O_{7-\delta}$ superconductors **175**, 651
Yang, S.J., see L.H. Perng **175**, 667
Yao, X., see X. Wang **175**, 577
Yasuoka, H., H. Mazaki, T. Terashima and Y. Bando, Optical absorption spectra of single-crystal $YBa_2Cu_3O_y$ films **175**, 192

Zander, W., see C.L. Jia **175**, 545
Zetterer, T., see J.C. Jol **175**, 12
Zheng, J.P., see H.S. Kwok **175**, 573
Zieliński, J., P. Entel and M. Matlak, Effective interactions among quasiparticles of p-type symmetry in an extended model for CuO_2 layers **175**, 639
Zimmermann, H., see M. Mali **175**, 581

Physica C 175 (1991) 683–684
North-Holland

Analytic Subject Index to Volume 175

AC susceptibility 33
Anharmonicity 89
Anisotropic superconductor 61, 127, 143
Antiferromagnetic order
–in $Tm_2Fe_3Si_5$ 58
Applications of high-T_c superconductors 255, 357, 573, 600, 603

Carrier concentration 250
Charge symmetry 627
Chemical analysis 607
Coulomb interactions 347, 639
Critical-current density 33
Critical current density 102, 187, 202, 215, 335, 363, 401, 407
–of Tl–Ba–Ca–Cu–O 156
Critical state model 33, 202, 215, 363, 407
Crystal field 587
Crystal structure 529
Cu–O planes 269, 386, 581, 639
Current–voltage characteristics 315, 324
Cu-valence
–in $YBa_2Cu_3O_{7-\delta}$ 607

Debye temperature 615
–of La_2CuO_4 135
Defect structures 651

Electrical resistivity 111, 250, 261, 310, 555, 623, 634
–of $TlBa_2CuO_{5-\delta}$ 183
–of $TlBaSrCuO_{5-\delta}$ 183
Electrochemical oxidation 342
Electron beam evaporation 623
Electronic density of states
–in $YBa_2Cu_4O_8$ 81
Electronic structure
–of $Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n}$ 269
–of $Bi_2Sr_{2-x}Ca_{1+x}Cu_2O_{8+\delta}$ 233
–of La_2CuO_4 1, 369
–of $La_{2-x}Sr_xCuO_4$ 347
–of Nd_2CuO_4 1
–of Sr_2VO_4 329
Electron–phonon coupling 47, 644
–in Sr_2VO_4 329
Energy gap 47
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 127

Fermi liquid approach 449
Fluctuation effects 577
Flux creep 93
Flux dynamics 27, 315, 534
Flux pinning 93, 187, 197, 315, 539

Grain alignment (texturing) 566
Grain boundaries 545
Granular superconductivity 215

Hall effect 587
–in $La_2Sr_6Cu_8O_{16+\delta}$ 165
Heavy-fermion compounds 61
High pressure effect 58
–in $Tl_2Ca_{n-1}Ba_2Cu_nO_{2n+4-\delta}$ 627
HREM 285, 419, 545
–of $HoBa_2Cu_3O_{7-\delta}$ 651
Hubbard hamiltonian 639
Hubbard models 449

Incipient localization 449
Irradiation effect
–on $YBa_2Cu_3O_{7-\delta}$ (singe crystal) 111
Irreversibility line 197

Josephson effect 600

Kosterlitz–Thouless transition 324

Lattice dynamics 135, 615
Lattice parameters
–of $Ba_3YCu_2O_x$ 172
–of Ba–Y–Cu–W–O 119
–of $La_{1.85-x}Nd_xSr_{0.15}CuO_4$ 435
–of $La_{2-x}Nd_xCuO_{4+\delta}$ 342
–of $LnBa_2Cu_4O_8$ 523
–of $Pb_2Sr_2Y_{0.73}Ca_{0.27}Cu_3O_8$ 293
Layered copper oxide 529
Lower critical field H_{c1} 42, 143, 335, 407

Magnetic anomalies
–in Bi–Sr–V–O 595
–in Tl–Sr–V–O 595
Magnetic force microscopy 357
Magnetic relaxation 27, 315
Magnetic superconductors 42
Magnetic susceptibility 42, 81, 279
Magnetization 102, 143, 202, 215, 335
Magnetron sputtering 310
Meissner effect 241, 539
Melt processing 102
Metal–insulator transition 555
Microwave absorption 534, 603
Mixed state 179, 363
Modulated structures 419
Multilayers
–of $Nb/Nb_{0.5}Zr_{0.5}$ 187

Neutron diffraction 135, 293, 393, 587, 615
Neutron scattering (inelastic) 587
NMR 401
–in $Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n}$ 269
–in $Tl_2Ba_2CaCu_2O_8$ 12
–in $YBa_2Cu_3O_6$ 581
Normal-state properties
–of $Tl_2Ba_2CaCu_2O_8$ 12
–of $YBa_2Cu_4O_8$ 81
Normal state theory 449
NQR 347

Optical absorption
–in $YBa_2Cu_3O_{7-\delta}$ 192
Optical response of superconductors 573
O–T transition 301
Oxygen stoichiometry 279, 386, 393
–in $La_{2-x}Nd_xCuO_{4+\delta}$ 342

Penetration depth 401
Phase diagram 197
Phonon mechanism 89

Raman scattering
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 127
–in $YBa_2Cu_3O_{7-\delta}$ 47, 89
Rietveld analysis 529

Shapiro step 600
Single-crystal film
–of $YBa_2Cu_3O_{7-\delta}$ 192
Single-crystal growth 261
Specific heat at T_c
–in $YBa_2Cu_4O_8$ 81
Spectrophotometry 607
Spectroscopic ellipsometry 17
Spin–lattice relaxation time T_1 581

Spin–spin relaxation time T_2 581
SQUID 539, 545, 577
Structure
–of $Ba_3YCu_2O_x$ 172
–of Ba–Y–Cu–W–O 119
–of $(Bi,Pb)Ca_{n-1}Cu_nO_{2n+4}$ 419
–of $Bi_{2+x}Sr_{2-x}CuO_{6+y}$ 261
–of Bi–Sr–Ca–Cu–O 623
–of $La_{1.85-x}Nd_xSr_{0.15}CuO_4$ 435
–of $La_2Sr_6Cu_8O_{16+\delta}$ 165
–of $La_{2-x}Ba_xCuO_4$ 301
–of $La_{2-x}Sr_xCuO_4$ 301
–of $(Pb_{0.65}Cu_{0.35})Sr_2(Y_{0.7}Ca_{0.3})Cu_2O_{7+\delta}$ 393
–of $Pb_2Sr_2Y_{0.73}Ca_{0.27}Cu_3O_8$ 293
–of Tl–Ca–Ba–Cu–O 241
–of $YBa_2Cu_3O_{7-\delta}$ (thin films) 566
Structure of oxides 386
Substitution effects
–in Ba–Y–Cu–W–O 119
–in Bi–Pb–Sr–Ca–Cu–O 250
–in $ErBa_2Cu_3O_7$ 587
–in $La_{1.85-x}Nd_xSr_{0.15}CuO_4$ 435
–in La_2CuO_4 1
–in Nd_2CuO_4 1
–in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ 17
–in $YBa_2Cu_3O_{7-\delta}$ by Ca 279
Substitution effects of Ag in Te
–in $YBa_2Cu_3O_{7-\delta}$ 335
Surface impedance 534, 603
Synthesis
–of (Bi,Pb)–Sr–Ca–Cu–O 667
–of $Bi_{2+x}Sr_{2-x}CuO_{6+y}$ (single crystals) 261
–of Bi–Sr–Ca–Cu–O (wires) 255
–of $LnBa_2Cu_4O_8$ (Ln = RE) 523
–of $TlBa_2CuO_{5-\delta}$ 183
–of Tl–Ba–Ca–Cu–O 156
–of $TlBaSrCuO_{5-\delta}$ 183
–of Tl–Ca–Ba–Cu–O 241
–of $YBa_2Cu_3O_{7-\delta}$ (thin film) 381

Thermal expansion 61
Thermoelectric effects 179, 279, 555
–of $La_2Sr_6Cu_8O_{16+\delta}$ 165
Thin films 89, 285, 363, 381, 545, 573, 623
–of (Bi,Pb)–Sr–Ca–Cu–O 667
–of $Bi_2Sr_{2-x}Ca_{1+x}Cu_2O_{8+\delta}$ 233
–of $Y_1Ba_2Cu_3O_{7-\delta}$ 310
Tl compound 529
Tunneling 127
Twin boundaries 301, 651

Ultrasound attenuation 93
–in UPt_3 61
–in URu_2Si_2 61
Ultrasound velocity 61, 93
Upper critical field 197

Vibronic model 644

Weak links 545, 634

XANES 369
XPS 233
X-ray diffraction 529

Physica C175 (1991) 685
North-Holland

Materials Index to Volume 175

$Ba_3YCu_2O_x$
–lattice parameters 172
–structure 172
Ba–Y–Cu–W–O
–lattice parameters 119
–structure 119
–substitution effects 119
$(Bi,Pb)Ca_{n-1}Cu_nO_{2n+4}$
–structure 419
(Bi,Pb)–Sr–Ca–Cu–O
–synthesis 667
–thin films 667
$Bi_{2+x}Sr_{2-x}CuO_{6+y}$
–structure 261
–synthesis 261
$Bi_2Sr_2CaCu_2O_{8+\delta}$
–energy gap 127
–Raman scattering 127
$Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n}$
–electronic structure 269
–NMR 269
$Bi_2Sr_{2-x}Ca_{1+x}Cu_2O_{8+\delta}$
–electronic structure 233
–thin films 233
Bi–Pb–Sr–Ca–Cu–O
–substitution effects 250
Bi–Sr–Ca–Cu–O
–structure 623
–synthesis 255
Bi–Sr–V–O
–magnetic anomalies 595

$ErBa_2Cu_3O_7$
–substitution effects 587

$HoBa_2Cu_3O_{7-\delta}$
–HREM 651

$La_{1.85-x}Nd_xSr_{0.15}CuO_4$
–lattice parameters 435
–structure 435
–substitution effects 435

La_2CuO_4
–Debye temperature 135
–electronic structure 1, 369
–substitution effects 1
$La_2Sr_6Cu_8O_{16+\delta}$
–Hall effect 165
–structure 165
–thermoelectric effects 165
$La_{2-x}Ba_xCuO_4$
–structure 301
$La_{2-x}Nd_xCuO_{4+\delta}$
–lattice parameters 342
–oxygen stoichiometry 342
$La_{2-x}Sr_xCuO_4$
–electronic structure 347
–structure 301
$LnBa_2Cu_4O_8$
–lattice parameters 523
–synthesis 523

$Nb/Nb_{0.5}Zr_{0.5}$
–multilayers 187
Nd_2CuO_4
–electronic structure 1
–substitution effects 1

$(Pb_{0.65}Cu_{0.35})Sr_2(Y_{0.7}Ca_{0.3})Cu_2O_{7+\delta}$
–structure 393
$Pb_2Sr_2Y_{0.73}Ca_{0.27}Cu_3O_8$
–lattice parameters 293
–structure 293

Sr_2VO_4
–electronic structure 329
–electron–phonon coupling 329

$Tl_2Ba_2CaCu_2O_8$
–NMR 12
–normal-state properties 12
$Tl_2Ca_{n-1}Ba_2Cu_nO_{2n+4-\delta}$
–high pressure effect 627
$TlBa_2CuO_{5-\delta}$
–electrical resistivity 183
–synthesis 183
Tl–Ba–Ca–Cu–O
–critical current density 156
–synthesis 156
$TlBaSrCuO_{5-\delta}$
–electrical resistivity 183
–synthesis 183
Tl–Ca–Ba–Cu–O
–structure 241
–synthesis 241
Tl–Sr–V–O
–magnetic anomalies 595
$Tm_2Fe_3Si_5$
–antiferromagnetic order 58

UPt_3
–ultrasound attenuation 61
URu_2Si_2
–ultrasound attenuation 61

$Y_1Ba_2Cu_3O_{7-\delta}$
–thin films 310
$YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$
–substitution effects 17
$YBa_2Cu_3O_6$
–NMR 581
$YBa_2Cu_3O_{7-\delta}$
–Cu-valence 607
–irradiation effect 111
–optical absorption 192
–Raman scattering 47, 89
–single-crystal film 192
–structure 566
–substitution effects 279
–substitution effects of Ag in Te 335
–synthesis 381
$YBa_2Cu_4O_8$
–electronic density of states 81
–normal-state properties 81
–specific heat at T_c 81